APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office
Returned to applicant for correction
Corrected application filed
JAN 2 1 1992 under 56951
TONIS MINIS ATNOTAGE TWO
The applicant LONE TREE MINING, INC.
BOX 27019 Of ALBUQUERQUE City or Town City or Town
NEW MEXICO, 87125 , hereby make application for permission to appropriate the public State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.) DELAWARE 2-21-90
1. The source of the proposed appropriation is UNDERGROUND (WW-8) Name of stream, lake, spring, underground or other source
Name III stream, lake, spring, unucrground of other source
2. The amount of water applied for is 1.1.1 One second-foot equals 448.83 gald. per min: second-feet
(a) If stored in reservoir give number of acre-feet
3. The water to be used for DEWATERING Irrigation, power, mining; manufacturing, domestic, or other osc. Must limit to one use.
and the state of t
(a) Irrigation, state number of acres to be irrigated.
(b) Stockwater, state number and kinds of animals to be watered
(c) Other use (describe fully under No. 12. "Remarks" SEE NO. 12
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream.
5. The water is to be diverted from its source at the following point SW\(\frac{1}{2}\) SW\(\frac{1}{2}\), SECTION 11, T. 34N., Describe as being within a 40-acre subdivision of public
R. 42E., M.D.B.&M., AT A POINT FROM WHICH THE SW CORNER OF SECTION 1, T.34N., survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
R.42E., M.D.B.&M. BEARS S 47° 15' 19" W AT A DISTANCE OF 1282.98 FEET
6. Place of use SECTION 1,2,3,10,11,12,13,14,15,22,23, and 27 T.34N., R.42E., Describe by legal subdivision. If on unsurveyed land, it should be so stated.
M.D.B.&M, AND THE SOUTH HALF OF THE NEW, AND THE NORTH HALF OF THE SEX,
SECTION 29, T.35N, R.43E, M.D.B.&M.
$T_{\rm eff} = 2.5$
7. Use will begin about <u>JANUARY 1</u> and end about <u>DECEMBER 31.</u> , of each year. Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) WELL CASING, PUMP AND DISTRIBUTION State manner in which water is to be diverted, i.e. diversion structure, ditches and
STSTEN. fluences, drilled well with pump and motor, etc.

AMENDED PERMIT

9.	Estimated cost of works	
10.	. Estimated time required to construct works	
	II well completed, describe works.	
11.	Estimated time required to complete the application of water to beneficial use	
	Remarks: For use other than irrigation or stock watering, state number and type of units to be serve consumptive use:	d or annual
	WATER WILL BE USED PRIMARILY FOR DEWATERING, FOR AN ANNUAL DUTY OF 8	3,036
	ACRE FEET. THE WATER WILL BE DISCHARGED TO THE HUMBOLDT RIVER. AN	
	N.P.D.E.S. permit (#NV 0021962), ISSUED BY N DEP ON 3-29-91, IS IN I	PLACE.
	THE PERMIT EXPIRES 3-29-96.	
Con	By DAVID J. HERZOG, AGENT SIMON HYDRO-STARCH S250 S. VIRGINIA ST., SUITI	
	nested 4/2/92 by Michael D. Buschelman;	
Prot	Pro. wdr. 5-29-92	
	APPROVAL OF STATE ENGINEER	
	This is to certify that I have examined the foregoing application, and do hereby grant the same, sullowing limitations and conditions:	bject to the
gh	ht obtained under this permit will be dependent upon the amount of water ged to beneficial use. It is also understood that this right must all	
gh access ost ster current bl	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, the be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of diverturate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and educe, private or corporate lands. The manner of use of water under this permit is by nature of its accordingly use and any application to change the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the proof	ow for a divide with a valve must be sion and ptalizing Proof of egress on a der this
ight lacesase vo ist ister current ibl	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, to be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divergrate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and educ, private or corporate lands. The manner of use of water under this permit is by nature of its accordingly use and any application to change the manner of use granted unitable on PAGE 2) c amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use	ow for a a walve a valve must be sion and btalizing Proof of egress on attivity a der this and not to
ight lacesase vo ist ist iscu- ister iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu- iscu-	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, the be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of diverturate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and educe, private or corporate lands. The manner of use of water under this permit is by nature of its accordingly use and any application to change the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the manner of use granted unit in the proof of the proof	ow for a a walve a valve must be sion and btalizing Proof of egress on attivity a der this and not to
ghrace as the second of the se	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, to be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divergrate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and educ, private or corporate lands. The manner of use of water under this permit is by nature of its accordingly use and any application to change the manner of use granted unitable on PAGE 2) c amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use	ow for a d with a a valve must be sion and btalizing Proof of gress on stivity a der this and not to
ghrands as a second sec	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equippe (2) inch opening for measuring depth to water. If the well is flowing, the installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divergrate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and elic, private or corporate lands. The manner of use of water under this permit is by nature of its accordingly use and any application to change the manner of use granted until timed on PAGE 2) c amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use the content of the permit is accordingly use and any application to change the manner of use granted until timed on PAGE 2)	ow for a a walve a valve must be sion and atalizing Proof of sgress on ativity a der this and not to
ghrian and a second sec	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, to be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divergence waste measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the poletion of Work is filed. This permit does not extend the permittee the right of ingress and educe, private or corporate lands. The manner of use of water under this permit is by nature of its according use and any application to change the manner of use granted under this permit is by nature of its according use and any application to change the manner of use granted under this permit is by nature of its according to the property use and any application to change the manner of use granted under this permit is by nature of its according to the property use and any application to change the manner of use granted under the property use and any application to change the manner of use granted under the property use and any application to change the manner of use granted under the property use and any application to change the manner of use granted under the property use and any application to change the manner of use granted under the property use and any application to change the manner of use granted under the property use and	ow for a a walve a valve must be sion and otalizing Proof of egress on ativity a ader this and not to
gh. account of the sexces were work of the sexces were well as the sex of t	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equippe (2) inch opening for measuring depth to water. If the well is flowing, the installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divergrate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and elic, private or corporate lands. The manner of use of water under this permit is by nature of its accorary use and any application to change the manner of use granted unitation of water to be appropriated shall be limited to the amount which can be applied to beneficial use seed. 11.1 cubic feet per second , but not to exceed 800 acre-feet annually. Ork must be prosecuted with reasonable diligence and be completed on or before. July 7, 1	ow for a d with a a valve must be sion and btalizing Proof of gress on tivity a der this and not to
gh.acceasivo	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, to be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of diver urate measurements must be kept of water placed to beneficial use. The total use installed before any use of water begins or before the poletion of Work is filed. This permit does not extend the permittee the right of ingress and educ, private or corporate lands. The manner of use of water under this permit is by nature of its according use and any application to change the manner of use granted understructed on PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use the content of the prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The provent and p	ow for a a d with a a valve must be sion and otalizing Proof of gress on stivity a der this and not to 36
gh.acceas; vo ist	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, the beinstalled and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divertional depth to beneficial use. The total measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and educing private or corporate lands. The manner of use of water under this permit is by nature of its according use and any application to change the manner of use granted under this permit is by nature of its according use and any application to change the manner of use granted under this permit is by nature of its according use amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use seed. 11.1 cubic feet per second , but not to exceed 800 accre-feet annually. The procedured with reasonable diligence and be completed on or before. August 7, 1 points for the procedured with reasonable diligence and be completed on or before. August 7, 1 points for the procedured with reasonable diligence and be completed on or before. August 7, 1 points for the procedure of water to beneficial use shall be filed on or before. August 7, 1 points for the private and priva	ow for a a walve a valve must be sion and otalizing Proof of sgress on stivity a der this and not to 36
ghilacians of the second of th	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equippe (2) inch opening for measuring depth to water. If the well is flowing, to be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of divergrate measurements must be kept of water placed to beneficial use. The total must be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and edic, private or corporate lands. The manner of use of water under this permit is by nature of its accorary use and any application to change the manner of use granted un NTINUED ON PAGE 2) c amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use seed. 11.1 cubic feet per second , but not to exceed 800 acre-feet annually. Ork must be prosecuted with reasonable diligence and be completed on or before. July 7, 1 point of work shall be filed before. August 7, 1 point of the application of water to beneficial use shall be filed on or before. July 7, 1 point of proof of beneficial use shall be filed on or before. N/A IN TESTIMONY WHEREOF, I. R. MICHAEL TURNI must be proved to the content of work filed. IN TESTIMONY WHEREOF, I. R. MICHAEL TURNI must be presented and server filed.	ow for a a walve a valve must be sion and btalizing Proof of gress on tivity a der this and not to 36 993 995 995 PSEED, P.
ight lack as wo list in the second and lack as wo list in the second and lack as well	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equipped (2) inch opening for measuring depth to water. If the well is flowing, to be installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of diversurate measurements must be kept of water placed to beneficial use. The total remains the installed before any use of water begins or before the pletion of Work is filed. This permit does not extand the permittee the right of ingress and extend the permit does not extand the permit is by nature of its according use and any application to change the manner of use granted unitalized on PAGE 2) The manner of use of water under this permit is by nature of its according use and any application to change the manner of use granted unitalized on PAGE 2) The manner of use appropriated shall be limited to the amount which can be applied to beneficial use the manner of use granted unitalized and the prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted with reasonable diligence and be completed on or before. The prosecuted to beneficial use shall be filed on or before. The prosecuted to beneficial use shall be filed on or before. The prosecuted the prosecuted the prosecuted to be prosecuted to be	ow for a a walve a valve must be sion and otalizing Proof of sqress on stivity a der this and not to 36 and not to
laces wo ust the second	ced to beneficial use. It is also understood that this right must all sonable lowering of the static water level. This well shall be equippe (2) inch opening for measuring depth to water. If the well is flowing, the installed and maintained to prevent waste. A totalizing meter talled and maintained in the discharge pipeline near the point of diversurate measurements must be kept of water placed to beneficial use. The total terms to be installed before any use of water begins or before the pletion of Work is filed. This permit does not extend the permittee the right of ingress and elic, private or corporate lands. The manner of use of water under this permit is by nature of its accoracy use and any application to change the manner of use granted understributed ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use the manner of use granted understributed to the amount which can be applied to beneficial use seed. LLL cubic feet per second , but not to exceed 80 accepted annually. The most be prosecuted with reasonable diligence and be completed on or before. July 7, 1 point of water to beneficial use shall be filed on or before. July 7, 1 point of water to beneficial use shall be filed on or before. MAGUEST 7, 1 principles of work filed JUL 1 4 1993 In TESTIMONY WHEREOF, I. R. MICHAEL TURNI State Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my hand and state Engineer of Nevada, have bereunto set my	ow for a a walve a valve must be sion and otalizing Proof of sqress on stivity a der this and not to 36 and not to

Page 2 57103

(PERMIT TERMS CONTINUED)

permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined diversion rate of Permits 54247, 54759, 54760, 54761, 54762, 54763, 54764, 56406, 56407, 56578, 56579, 56580, 56581, 56582, 56583, 56584, 56585, 56586, 56951, 57103, 57104, 58257-T, 58292-T, 58385, 58550, 58601-T, 58602-T, 58831-T, 58832-T, 58833-T, 58834-T, 59064-T, 59065-T, 59066-T, 59067-T and 59068-T, inclusive, shall not exceed 33,460 gallons per minute or 74.56 cubic feet per second for mining, milling, and dewatering purposes. The total volume of water allowed to be diverted under the above mentioned permits and for the same purposes shall not exceed 53,800 acre-feet annually. The total combined consumptive duty for mining and milling purposes under the above mentioned permits and any changes of these permits shall not exceed 3,144 acre-feet annually.

All water diverted but not used for mining or milling purposes shall be discharged to the Iron Point Relief Canal via the aqueduct completed in June, 1993.

All water diverted shall be measured and reported to the State Engineer on a monthly basis. The report shall include the amount of water diverted from each well, the amount of water used for mining and milling purposes, and the amount discharged to the aqueduct to the Iron Point Relief Canal. This report shall be submitted to the State Engineer within 15 days of the last day of the preceding month.

This permit is issued subject to the "Lone Tree Mining, Inc., Unified Monitoring Plan, March 27, 1993."

The State Engineer will retain the right to require additional monitoring over and above the monitoring plan mentioned, and also will retain the right to seek other disposal options of water discharged to the Iron Point Relief Canal.

The permittee, on a schedule acceptable to the State Engineer, shall prepare and present an update on the activities of the mine and the monitoring plan on a periodic basis, but not less than two times per year.

ration of longitudes a

	•		•
		•	
		',	
*			
		• •	
	•		-

The second of th

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	JAN 2 1 1992
Map filed	JAN 2 1 1992 UNDER 56951
-	== · · · · · · · · · · · · · · · · · ·
• •	VING, INC.
	Of ALBUQUERQUE City or Town
NEW MEXICO, 87125 State and Zip Code No.	, hereby make application for permission to appropriate the public
	d. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of men	nbers.) DELAWARE 2-21-90
<u> </u>	
1. The source of the proposed appropriation is	UNDERGROUND (WW-8) Name of stream. lake, spring, underground or other source
	Name of stream, lake, spring, underground or other source
2. The amount of water applied for is	ill.1 One second-foot equals 448.83 gals, per min. Second-feet
	One second-loot equals 448.83 gals, per min.
3. The water to be used forDEWATI	ERING attent, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:	ation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
(a) Irrigation, state number of acres to be in	rigated
(b) Stockwater, state number and kinds of a	nimals to be watered
(c) Other use (describe fully under No. 12.	"Remarks" SEE NO. 12
(d) Power:	
(1) Horsepower developed	
•	
5. The water is to be diverted from its source R. 42 E., M.D.B. & M., AT THE SW CORNER OF SECTION 1. survey, and by course and distance to a section currer. If on a 15'19" W AT A DISTANCE OF 1	at the following point. SW & SW & SECTION 1, T. 34 N. POINT PROM WHICH Describe as being within a 40-acre subdivision of public T. 34N, R. 42 E. M.D.B. & M. BEARS S 47° many eyed land, it should be so stated.

	11,12,13,14,15,22,23,and27 T.34N. R.42E, be by legal subdivision. If on unsurveyed land, it should be so stated. ALF OF THE NE 1, AND THE NORTH HALF OF THE
	R.43E, M.D.B. & M.
The second secon	
; ÷ ~ ·	
7. Use will begin about JANUARY 1 Month and Day	DECEMBER 31 of each year.
	provisions of NRS 535.010 you may be required to submit plans and
	Orks.) WELL CASING, PUMP AND DISTRIBUTION State manner in which water is to be diverted, i.e. diversion structure, ditches and
STSTEN	

9. Estimated cost of works \$100,000.00						
10. Estimated time required to construct works TWO YEARS If well completed, describe works.						
11. Estimated time required to complete the application of water to beneficial use FIVE YEARS						
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:						
WATER WILL BE USED PRIMARILY FOR DEWATERING; FOR AN ANNUAL DUTY OF						
8,036 ACRE FEET. THE WATER WILL BE DISCHARGED TO THE HUMBOLDT RIVER.						
AN N.P.D.E.S. permit (#NV 0021962), ISSUED BY N DEP ON 3-29-91, IS						
IN PLACE. THE PERMIT EXPIRES 3-29-96.						
s/ David J. Herzog By DAVID J. HERZOG, AGENT SIMON HYDRO-SEARCH SIMON HYDRO-SEARCH 5250 S. VIRGINIA ST., SUITE 280 RENO, NV 89502 Protested 4/2/92 by; Michael D. Buschelman:						
Pro. wdπ. 5-29-92						
APPROVAL OF STATE ENGINEER						
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the						
This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed. This permit does not extend the permittee the right of ingress and egress on public, private or comporate lands. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to						
exceed 11.1 cubic feet per second , but not to exceed 8036						
acre-feet annually.						
Work must be prosecuted with reasonable diligence and be completed on or before						
Proof of completion of work shall be filed before						
Application of water to beneficial use shall be filed on or before July 7, 1995						
Proof of the application of water to beneficial use shall be filed on or before August 7, 1995						
Map in support of proof of beneficial use shall be filed on or before						
Completion of work filed JUL 1 4 1993 IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E. State Engineer of Nevada. have hereunto set my hand and the seal of my						
Proof of beneficial use filed						
Cultural map filed						
Certificate No. Issued State Unringer						
port. 60/500 73.5 12/8/95						

Page 2 57103

(PERMIT TERMS CONTINUED)

permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined diversion rate of Permits 54247, 54759, 54760, 54761, 54762, 54763, 54764, 56406, 56407, 56951, 57103, 57104, 56367-T, 57676-T and 57695-T shall not exceed 20,000 gallons per minute or 44.56 cubic feet per second and the total volume of water diverted for dewatering, mining or other industrial uses shall not exceed 32,260 acre feet per annum. All water diverted that cannot be placed to a beneficial use shall be injected back to the Pumpernickel Valley and/or Clovers Area groundwater system. The existing surface discharge to the Herrin Slough may continue until November 1, 1992, subject to the permitting requirements of other state, federal and local agencies. Injection of excess water, or substitution for other permitted industrial or mining uses, shall be the only means of disposal after that date. This permit does not relieve the operator of the requirements of other state, federal or local agencies.

All water diverted, used in the mining and milling process and discharged to the slough shall be measured continuously and reported on a monthly basis.

A measuring device approved by the State Engineer as to the type and location, shall be installed at the downstream end of the slough just prior to any of the discharged water entering the Humboldt River. This measurement device shall be installed within 30 days from the issuance of this permit. The measurements shall be on a continuous basis and reduced to daily flows.

The monitoring plan revised November 22, 1991, is hereby adopted with one exception, that being the frequency of water level measurements shall be made and reported on a monthly basis for a period of one year after the issuance of this permit. The monitoring plan will be reviewed at the end of this one year period, to determine if any other modifications are necessary.

All data from the water diverted and used, the measurement of water in the slough and the water level measurements shall be submitted to the State Engineer within 15 days of the last day of the preceding month.

The total combined duty of water for mining, milling and domestic purposes under Permits 54247, 54759, 54760, 54761, 54762, 54763, 54764, 56406, 56407, 56951, 57103, 57104, 56367-T, 57676-T and 57695-T shall not exceed 3,144 acre feet annually.

